

INDEX TO VOL. VI.

ABSORPTION, fat, 17, 331.
—, proteid, 22.

Albumoid, bone, composition, xxvii.

Alcohol, action on muscle, xiii.

Allantoin, estimation, 39.

—, excretion, xiv.

—, formation from uric acid, 39.

Apparatus, physiological, xxv, xxv.

ARTEAGA, J. F. Phlorhizin diabetes in cats, 173.

Associations, formation and retention, xxvii.

Atropine, action, 207.

Autotomy, relation to reflexes in hermit crab, 278.

BACTERIA, reaction to stimuli, 31.

BENEDICT, F. G. The excretion of nitrogen during nervous excitement, 398.

Blood-corpuscles, acted upon by certain substances, xxvi.

Blood plates, constituents, xi.

—, relation to red corpuscles at high altitudes, xi.

Blood-pressure, determined in man, xvii.

Blood-salts influence contractions of heart, 181.

Brain, chemical analysis, xxvi.

BREISACHER, L. A contribution to the physiology of the thyroid gland, xxvi.

BUERGER, L. and W. J. GIES. The chemical constituents of tendinous tissue, 219.

BULLARD, W. N. See CANNON, 91.

CANNON, W. B. Cerebral pressure following trauma, 91.

CANNON, W. B. The movements of the intestines studied by means of the Röntgen rays, 251, xxvii.

Cannula, arterial, xxvi.

CARTER, W. S. The relation of the parathyroid to the thyroid gland, xxvii.

Cell nucleus, rôle in oxidation and synthesis, xv.

Cell, vital processes and physico-chemical structure, xxvi.

Cellulose, digestion, xiii.

Cerebral pressure following trauma, 91.

Chemotaxis, 33.

CROSBY, J. H. See JENNINGS and CROSBY, 31.

Cross-fertilization, 216.

CUSHING, H. Concerning the poisonous effect of pure sodium chloride solutions upon the nerve-muscle preparation, 77.

CUSHNY, A. R. On the glands of the oviduct in the fowl, xviii.

CUSHNY, A. R. On saline diuresis, xvii.

CUTLER, W. D., and W. J. GIES. The composition of tendon mucoid, 155.

DAWSON, P. M., and E. N. RIGGINS. An attempt to obtain regeneration of the spinal cord, xxi.

Defecation, 260.

Development, index for egg of domestic fowl, 351.

— of sea urchin eggs affected by potassium cyanide and lack of oxygen, xxvi.

Dextrose, origin from cellulose in digestion, xiii.

Diabetes, 173.

Diuresis, xvi.

DONALDSON, H. H. The formula for determining the weight of the central nervous system in frogs of different sizes, xxvi.

DREYER, G. P. An arterial cannula and other new physiological apparatus, xxvi.

EARTHWORM, movements influenced by temperature, odors, light, and contact, 458.

Edestin, decomposition products, 48.

EDWARDS, C. L. The physiological zero and the index of development for the egg of the domestic fowl, *Gallus domesticus*. A contribution to the subject of the influence of temperature on growth, 351.

- EDWARDS, G. H. See HENDERSON and EDWARDS, xxii.
- Egg, presence of mono-amino-acids during development, xxvi.
- Electrical charge of ions influences physiological action, 411.
- Embryo, normal measurements, 351.
- Enzyme, spermatozoa, 53.
- Ergograph, xxiii.
- ERLANGER, J. A new instrument for determining systolic and diastolic blood pressure in man, xxii.
- ERLANGER, J., and A. W. HEWLETT. A study of the metabolism in dogs with shortened small intestines, 1.
- F**AT absorption, 17, 331.
Formaldehyde, action, 325.
- FRANZ, S. I. The frontal lobes (cerebral) and the formation and retention of associations, xxvii.
- Frontal lobes (cerebral), associations, xxvii.
- G**ELATOSSES, glycocoll, xxvi.
- GIES, W. J. Do spermatozoa contain enzyme having the power of causing development of mature ova? 53.
- GIES, W. J. See BUECHER and GIES, 210.
- GIES, W. J. See CUTTER and GIES, 155.
- GIES, W. J. See HAWK and GIES, xxvii.
- GIES, W. J. See MEAD and GIES, xxviii.
- GIES, W. J. See POSNER and GIES, xxix.
- GIES, W. J. See WOODRUFF and GIES, xxix.
- Glucophosphoric acid, xxvi.
- Glycocoll in gelatoses, xxvi.
- Gonionemus, sensory reactions, 434.
- GOOD, C. A. The excretion of lithium, xx.
- GREELEY, A. W. On the analogy between the effects of loss of water and lowering of temperature, 122.
- GREELEY, A. W. Artificial parthenogenesis in starfish produced by a lowering of temperature, 296.
- GREENE, C. W. Contributions to the physiology of the California hagfish, *Polistotrema stouti*. — II. The absence of regulative nerves for the systemic heart, 318.
- GREENE, C. W. Notes on the physiology of the circulatory system of the California hagfish, *Polistotrema stouti*, xii.
- Growth, influence of temperature, 351.
- H**AG-FISH, circulatory system, xii.
Hag fish, innervation of heart, 318.
- HALL, W. S. A new form of ergograph, xxiii.
- HAISEY, J. T. Studies in diuresis, xvi.
- HAWK, P. B., and W. J. GIES. The composition and chemical qualities of the albumoid in bone, xxvii.
- Heart, fibrillar contraction, xxv.
- , hag-fish, innervation, 318.
- Heart-beat, influenced by sodium, xxv.
- Heart-muscle, influence of salts on automatic contractions, 181.
- HENDERSON, V., and G. H. EDWARDS. A study of metabolism in a case of lymphatic leukemia, xxii.
- HEWLETT, A. W. See ERLANGER and HEWLETT, 1.
- HOWELL, W. H. An analysis of the influence of the sodium, potassium, and calcium salts of the blood on the automatic contractions of heart muscle, 181.
- HUNT, R. Experiments with *Zygadenus venenosus* (poison camass), xix.
- HUNTER, S. J. On the production of artificial parthenogenesis in arbovia by the use of sea-water concentrated by evaporation, 177.
- I**LEOCECAL valve, competence, 264.
Infusoria, reaction to acids, 233.
- Intestine, course of food in, 262.
- , shortened in dogs, 1.
- Intestines, movements, 251.
- Ions, relation of electrical charge to physiological action, 411.
- J**ENNINGS, H. S., and J. H. CROSBY. Studies on reactions to stimuli in unicellular organisms. — VII. The manner in which bacteria react to stimuli, especially to chemical stimuli, 31.
- JENNINGS, H. S., and E. M. MOORE. Studies on reactions to stimuli in unicellular organisms. — VIII. On the reactions of infusoria to carbonic and other acids, with especial reference to the causes of the gatherings spontaneously formed, 233.
- JONES, W. On the nucleic acid of the suprarenal, xxvi.
- K**EMP, G. T. Relation of blood plates to the increase in the number of red corpuscles at high altitudes, xi.
- KEMP, G. T., and O. O. STANLEY. Some new observations on blood plates, xi.
- KOCH, W. The chemical analysis of the brain, xxvi.
- KOCH, W. The physiological action of formaldehyde, 325.

- L**EE, F. S., and W. SALANT. The action of alcohol on muscle, xlii.
- Leukemia, metabolism, xxii.
- LEVINE, P. A. On gluco-phosphoric acid, xxvi.
- LEVINE, P. A. Embryo-chemical studies, II.—The presence of mono-amido-acids in the developing egg, xxvi.
- LEVINE, P. A. Glycocoll in gelatoses, xxvi.
- LEVINE, P. A., and L. B. MENDEL. Some decomposition products of the crystallized vegetable proteid edestin, 48.
- LEWIS, W. H. See LOEB and LEWIS, 305, xxvi.
- Life, prolonged in unfertilized eggs of sea-urchins by potassium cyanide, 305.
- LILLIE, F. R. Notes on regeneration and regulation in planarians (continued), 129.
- LILLIE, R. S. The rôle of the cell nucleus in oxidation and synthesis, xv.
- LINGLE, D. J. On further experiments on the importance of sodium for the heart-beat, xxv.
- Lipase, fat metabolism, 331.
- Lithium, excretion, xx.
- LOEB, J. Studies on the physiological effects of the valency and possibly the electrical charges of ions. I.—The toxic and antitoxic effects of ions as a function of their valency and possibly their electrical charge, 411.
- LOEB, J., and W. H. LEWIS. On the prolongation of the life of the unfertilized eggs of sea-urchins by potassium cyanide, 305, xxvi.
- LOEB, J. The physiological effects of the electrical charge of ions and the electrical character of life phenomena, xxvi.
- LOEVENHART, A. S. On the relation of lipase to fat metabolism—lipogenesis, 331.
- LOMBARD, W. P. Demonstration of apparatus, xxiv.
- LUSK, G. A convenient rabbit-holder, xxvi.
- LUSK, G. On the question whether dextrose arises from cellulose in digestion, xlii.
- LYON, E. P. Effects of potassium cyanide and of lack of oxygen on the development of sea-urchin eggs, xxvi.
- M**ATTHEWS, A. P. Artificial parthenogenesis produced by mechanical agitation, 142.
- MATTHEWS, A. P. The action of pilocarpine and atropine on the embryos of the starfish and the sea-urchin, 207.
- MATTHEWS, A. P. The so-called cross fertilization of *Ascidia* by *Arthra*, 216.
- MATTHEWS, A. P. The nature of nerve stimulation and alterations of irritability, xxvi.
- MEAD, L. D., and W. I. GIES. A comparative study of the reactions of various mucoids, xxviii.
- Mechanical agitation, parthenogenesis, 142.
- MENDEL, L. B. New experiments on allantoic excretion, xlv.
- MENDEL, L. B. See LEVINE and MENDEL, 48.
- Metabolism, fat, 331.
- , influenced by nervous excitement, 308.
- , in dogs with shortened intestine, 1.
- , leukemia, xxii.
- , nitrogen, 308.
- Metals, surface action, xxvi.
- Milk, liberation of sulphide on heating, 450.
- MOORE, E. M. See JENNINGS and MOORE, 233.
- MORGAN, T. H. The reflexes connected with autotomy in the hermit-crab, 278.
- Mucoids, reactions, xxviii.
- N**ERVE stimulation and irritability, xxvi.
- Nervous system of gonionemus, 434.
- Nervous system, weight, xxvi.
- NOVY, F. G. On the surface action of metals, xxvi.
- Nucleic acid, suprarenal gland, xxvi.
- O**VA, development, 53.
- Oviduct, glands in fowl, xxviii.
- P**ANCREAS, relation to spleen, xiv.
- Parathyroid, relation to thyroid, xxvii.
- Parthenogenesis, produced by concentrated sea-water, 177.
- , produced by lowering the temperature, 206.
- , produced by mechanical agitation, 142.
- Peristalsis, intestine, 360.
- Phlorhizin diabetes, 173.
- Physiological zero for egg of domestic fowl, 331.
- Pilocarpine, action, 207.
- Planarians, regeneration, 129.
- PORTER, W. T. Demonstration of apparatus, xxv.
- PORTER, W. T. The mechanism of fibrillar contraction of the heart, xxv.
- POSSNER, E. R., and W. I. GIES. Are peptoids which are prepared by the usual

- methods combined with fat or fatty acid? xxix.
 Proceedings of the American Physiological Society, xi.
 Proteid absorption, 22.
 Proteids, combined with fat or fatty acid, xxix.
 Pulmonary circulation, 283.

- R**ABBIT-HOLDER, xxvi.
 Regeneration in planarians, 129.
 RETTIGER, L. F. The liberation of volatile sulphide from milk on heating, 459.
 RETTIGER, L. F. Experiments on the relation between the spleen and the pancreas, xiv.
 RIGGINS, E. N. See DAWSON and RIGGINS, xxi.

- S**ALANT, W. See LEE and SALANT, xiii.
 Secretion, kidneys, xvi, xvii.
 —, nerve-control, 207.
 Selenium, toxicology, xxix.
 SMITH, A. C. The influence of temperature, odors, light and contact on the movements of the earthworm, 458.
 Sodium chloride, poisons nerve and muscle, 77.
 Spermatozoa, enzyme, 53.
 Spinal cord, regeneration, xxi.
 Spleen, relation to pancreas, xiv.
 STANLEY, O. O. See KEMP and STANLEY, xi.
 STEWART, G. N. The mode of action of certain substances on the colored blood-corpuscles, with special reference to the

- relation between so-called vital processes and the physico-chemical structure of cells, xxvi.
 Surface action, metals, xxvi.
 Suprarenal gland, nucleic acid, xxvi.
 SWAIN, R. E. The formation of allantoin from uric acid in the animal body, 38.

- T**ENDINOUS tissue, chemical constituents, 219.
 Tendon mucoid, 155.
 Thyroid gland, physiology, xxvi.
 Thyroid, relation to parathyroid, xxvii.

- U**NICELLULAR organisms, reaction to stimuli, 31, 233.

- V**ALENCY, physiological effects, 411.

- W**ATER loss, effects analogous to those produced by lowering the temperature, 122.

- WOOD, H. C., JR. A physiological study of the pulmonary circulation, 283.

- WOODRUFF, I. O., and W. J. GIES. On the toxicology of selenium and its compounds, xxix.

- Y**ERKES, R. M. A contribution to the physiology of the nervous system of the medusa *Gonionemus Murbachii*. Part I.—The sensory reactions of *Gonionemus*, 434.

- Z**YGADENUS venenosus, death camass, xix.

